



Global EPB531-W

| ITEM | QTY. | PRODUCT CODE | | LIST | EXTENDED |
|-------------------------------|------|--------------|---|-----------|----------|
| Global EPB531-W 2-Pack | | | | | |
| EPB | | | | | |
| 1 | 1 | EVE8FR3PB | 84" Long, Power Beam Basefeed Power Entry, Flexible Vinyl Conduit, Snaps to Power Distribution Housing, Includes Bracket to Attach to Vertical Cover, Must be Hardwired by a Licensed Electrician | \$ 484.00 | \$484.00 |
| | | | ... Skipped Option | | |
| 2 | 1 | EVE8PD60 | 60", Power Distribution Housing | \$ 259.00 | \$259.00 |
| | | | ... Skipped Option | | |
| 3 | 1 | EVE8RD1WHT | #1 Utility Circuit, Duplex Receptacle, White, Use an I-Connector w/ Duplex to allow for an additional Duplex in 66"w and 72"w Raceway | \$ 41.00 | \$41.00 |
| | | | ... Skipped Option | | |
| 4 | 1 | EVE8RD2WHT | #2 Utility Circuit, Duplex Receptacle, White, Use an I-Connector w/ Duplex to allow for an additional Duplex in 66"w and 72"w Raceway | \$ 41.00 | \$41.00 |
| | | | ... Skipped Option | | |
| 5 | 1 | EVE8RDAWHT | A, Dedicated Circuit, Duplex Receptacle, White, Use an I-Connector w/ Duplex to allow for an additional Duplex in 66"w and 72"w Raceway | \$ 41.00 | \$41.00 |
| | | | ... Skipped Option | | |
| 6 | 1 | EVE8RDBWHT | B, Dedicated Circuit, Duplex Receptacle, White, Use an I-Connector w/ Duplex to allow for an additional Duplex in 66"w and 72"w Raceway | \$ 41.00 | \$41.00 |



Global EPB531-W

| ITEM | QTY. | PRODUCT CODE | | LIST | EXTENDED |
|------|------|--------------|---|-----------|----------|
| | | | ... Skipped Option | | |
| 7 | 1 | EVPBE60 | 6"h x 60"w, Power Beam Raceway w/ Electrical Cut Out for Basefeed, 3 Knockouts, Aluminum Top Cap, Shortened Aluminum Bottom Trim for Electrical Access, Bracket to Connect Vertical Cover w/ Leg (Sold Separately), Power Not Included | \$ 460.00 | \$460.00 |
| | | | ... Skipped Option | | |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 8 | 1 | EVPBFCL24 | 24"h x 6"w x 18"d, Vertical Cover for Basefeed w/ T-Leg Connector, Connects to Power Beam Raceway w/ Electrical Cut Out, End of Run Trim Included, Power Not Included | \$ 230.00 | \$230.00 |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 9 | 2 | EVPBIEC12 | 12"h, Power Beam Inline Extension Connector, Non-Slotted, Includes Connecting Hardware, Must Be Attached to Power Beam Connector w/ Provided Screw Before Installing Power Beam Raceway | \$ 48.00 | \$96.00 |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 10 | 1 | EVPBL24 | 24"h x 18"w, T-Leg Connector w/ Adjustable Glides, Use Throughout Power Beam Span for Stability | \$ 140.00 | \$140.00 |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |



Global EPB531-W

| ITEM | QTY. | PRODUCT CODE | | LIST | EXTENDED |
|------|------|--------------|--|-----------|------------|
| 11 | 2 | EVPBLEP3663 | 36"h x 63"w, Laminate End Panel, Attaches to Power Beam Connector w/ T-Leg, Includes Bracket to Attached to T-Leg | \$ 693.00 | \$1,386.00 |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 12 | 2 | EVPBLERT36 | 33.4"h, End of Run Aluminum Trim for Connector Legs | \$ 77.00 | \$154.00 |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 13 | 1 | EVPFE1260 | 12"h x 60"w, Fabric Extension Module, Top Trims are not Included with Extension Modules | \$ 321.00 | \$321.00 |
| | | | ~STD Standard Paint Options | | |
| | | | ~STD Panels w/ Matching Horizontal Reveal | | |
| | | | ... Skipped Option | | |
| | | | ~GR1 Panel Grade 1 | | |
| | | | O1 Outside Position 1 | | |
| | | | ... Skipped Option | | |
| | | | ~GR1 Grade 1 Fabrics | | |
| | | | I1 Inside Position 1 | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 14 | 1 | EVPMP60GIP | 12"h x 60"w, Panel Mount Privacy Glass, Integrated Channel Extrusion with Aluminum Top Trim for Square Glass | \$ 395.00 | \$395.00 |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |



Global EPB531-W

| ITEM | QTY. | PRODUCT CODE | | LIST | EXTENDED |
|------|------|--------------|---|-------------|------------|
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| GCU | | | | | |
| 15 | 2 | BWAFWR2358 | 58.84"w x 18.24"h x 18.46"d, Felt Wrap Around Panels, Provides Privacy on all Sides, Fastens to the Underside of the Worksurface, Extends 1.5" Past the Back of Worksurface, FREEFIT BENCHING | \$ 653.00 | \$1,306.00 |
| | | | ... Skipped Option | | |
| | | | ~FFR FreeFit PET Felt Finishes | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 16 | 2 | CU6024 | 23"d x 59.75"w x 1.5"h, Cushion for 24"d Low Credenza's, SIDEBAR | \$ 0.00 | \$0.00 |
| | | | ~02 Grade 02 | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 17 | 2 | PH3T6601 | Height Adjustable Table Frame, Up/down handset with Digital Readout, Crossbars expandable to match table top widths, Not to Exceed 72"w, Height range 22.6" to 48.6", HEIGHT ADJUSTABLE WORKSURFACES, PRODUCTIVITY SOLUTIONS | \$ 1,255.00 | \$2,510.00 |
| | | | ~58 58"w Height Adjustable Base | | |
| | | | ~60 60"w Return Not Required | | |
| | | | ... Skipped Option | | |
| 18 | 2 | PHAT2358T | 23"d x 58"w x 1"h, Rectangular Top (Height Adjustable Base Sold Separate), HEIGHT ADJUSTABLE WORKSURFACES, PRODUCTIVITY SOLUTIONS | \$ 513.00 | \$1,026.00 |
| | | | ~ (STD) Thermally Fused Laminate, High Performance (1" Thick) | | |
| | | | ~PDLM Height Adjustable Laminate Top Finishes | | |
| | | | ... Skipped Option | | |
| | | | ~ Grommet Not Required - Left Position | | |
| | | | ~ Grommet Not Required - Center Position | | |



Global EPB531-W

| ITEM | QTY. | PRODUCT CODE | | LIST | EXTENDED |
|------|------|--------------|--|--------------------|-------------------|
| | | | ~ Grommet Not Required - Right Position | | |
| | | | ~ Grommet Not Required - Custom Grommet Location | | |
| | | | ... Skipped Option | | |
| 19 | 2 | PN2360CO | 24"d x 60"w x 23"h, Open Credenza, Adjustable 6 Position Shelves, Use w/ Overlapping Returns and Overlapping Bridges that have a 5"h Metal Open Frame Spacer, PRINCETON | \$ 1,357.00 | \$2,714.00 |
| | | | ~ (STD) Thermally Fused Laminate, High Performance (1" Thick) | | |
| | | | ~PRNCTOP Princeton Top Finishes | | |
| | | | ... Skipped Option | | |
| | | | ~PBODY Princeton Storage Body Laminates | | |
| | | | ... Skipped Option | | |
| | | | ~ Grommet Cut-Out Not Required - Left Position | | |
| | | | ~ Grommet Cut-Out Not Required - Right Position | | |
| | | | ~ Grommet Not Required - Custom Grommet Location | | |
| | | | ... Skipped Option | | |
| GUS | | | | | |
| 20 | 2 | 3885 | WIND LINEAR, 16"w x 5"d x 7"h, Bolster Cushion, 1 Loose Cushion, GLOBAL SEATING USA | \$ 249.00 | \$498.00 |
| | | | ~02 Grade 02 | | |
| | | | ... Skipped Option | | |

ALIAS SUBTOTAL: \$ 12,143.00



Global EPB531-W

| ITEM | QTY. | PRODUCT CODE | | LIST | EXTENDED |
|-------------------------------|------|--------------|---|-----------|----------|
| Global EPB531-W 4-Pack | | | | | |
| EPB | | | | | |
| 21 | 1 | EVE8CP17 | 17" - Flexible Mesh Jumper | \$ 126.00 | \$126.00 |
| | | | ... Skipped Option | | |
| 22 | 1 | EVE8FR3PB | 84" Long, Power Beam Basefeed Power Entry, Flexible Vinyl Conduit, Snaps to Power Distribution Housing, Includes Bracket to Attach to Vertical Cover, Must be Hardwired by a Licensed Electrician | \$ 484.00 | \$484.00 |
| | | | ... Skipped Option | | |
| 23 | 2 | EVE8PD60 | 60", Power Distribution Housing | \$ 259.00 | \$518.00 |
| | | | ... Skipped Option | | |
| 24 | 2 | EVE8RD1WHT | #1 Utility Circuit, Duplex Receptacle, White, Use an I-Connector w/ Duplex to allow for an additional Duplex in 66"w and 72"w Raceway | \$ 41.00 | \$82.00 |
| | | | ... Skipped Option | | |
| 25 | 2 | EVE8RD2WHT | #2 Utility Circuit, Duplex Receptacle, White, Use an I-Connector w/ Duplex to allow for an additional Duplex in 66"w and 72"w Raceway | \$ 41.00 | \$82.00 |
| | | | ... Skipped Option | | |
| 26 | 2 | EVE8DAWHT | A, Dedicated Circuit, Duplex Receptacle, White, Use an I-Connector w/ Duplex to allow for an additional Duplex in 66"w and 72"w Raceway | \$ 41.00 | \$82.00 |



Global EPB531-W

| ITEM | QTY. | PRODUCT CODE | | LIST | EXTENDED |
|------|------|--------------|---|-----------|----------|
| | | | ... Skipped Option | | |
| 27 | 2 | EVE8RDBWHT | B, Dedicated Circuit, Duplex Receptacle, White, Use an I-Connector w/ Duplex to allow for an additional Duplex in 66"w and 72"w Raceway | \$ 41.00 | \$82.00 |
| | | | ... Skipped Option | | |
| 28 | 1 | EVPB60 | 6"h x 60"w, Power Beam Raceway w/o Electrical Cut Out for Basefeed, 3 Knockouts, Aluminum Top Cap, Aluminum Bottom Trim, Power Not Included | \$ 460.00 | \$460.00 |
| | | | ... Skipped Option | | |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 29 | 1 | EVPBE60 | 6"h x 60"w, Power Beam Raceway w/ Electrical Cut Out for Basefeed, 3 Knockouts, Aluminum Top Cap, Shortened Aluminum Bottom Trim for Electrical Access, Bracket to Connect Vertical Cover w/ Leg (Sold Separately), Power Not Included | \$ 460.00 | \$460.00 |
| | | | ... Skipped Option | | |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 30 | 1 | EVPBFCL24 | 24"h x 6"w x 18"d, Vertical Cover for Basefeed w/ T-Leg Connector, Connects to Power Beam Raceway w/ Electrical Cut Out, End of Run Trim Included, Power Not Included | \$ 230.00 | \$230.00 |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 31 | 1 | EVPBGICB24 | 24"h x 2"w, Post Leg Connector w/ Adjustable Glide, Use In Conjunction w/ T-Leg Connectors | \$ 73.00 | \$73.00 |



Global EPB531-W

| ITEM | QTY. | PRODUCT CODE | | LIST | EXTENDED |
|------|------|--------------|--|------------------|-------------------|
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 32 | 3 | EVPBIEC12 | 12"h, Power Beam Inline Extension Connector, Non-Slotted, Includes Connecting Hardware, Must Be Attached to Power Beam Connector w/ Provided Screw Before Installing Power Beam Raceway | \$ 48.00 | \$144.00 |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 33 | 1 | EVPBL24 | 24"h x 18"w, T-Leg Connector w/ Adjustable Glides, Use Throughout Power Beam Span for Stability | \$ 140.00 | \$140.00 |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 34 | 2 | EVPBLEP3663 | 36"h x 63"w, Laminate End Panel, Attaches to Power Beam Connector w/ T-Leg, Includes Bracket to Attached to T-Leg | \$ 693.00 | \$1,386.00 |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 35 | 2 | EVPBLERT36 | 33.4"h, End of Run Aluminum Trim for Connector Legs | \$ 77.00 | \$154.00 |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |



Global EPB531-W

| ITEM | QTY. | PRODUCT CODE | | LIST | EXTENDED |
|------|------|--------------|--|------------------|-------------------|
| 36 | 2 | EVPFE1260 | 12"h x 60"w, Fabric Extension Module, Top Trims are not Included with Extension Modules | \$ 321.00 | \$642.00 |
| | | | ~STD Standard Paint Options | | |
| | | | ~STD Panels w/ Matching Horizontal Reveal | | |
| | | | ... Skipped Option | | |
| | | | ~GR1 Panel Grade 1 | | |
| | | | O1 Outside Position 1 | | |
| | | | ... Skipped Option | | |
| | | | ~GR1 Grade 1 Fabrics | | |
| | | | I1 Inside Position 1 | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 37 | 2 | EVPMP60GIP | 12"h x 60"w, Panel Mount Privacy Glass, Integrated Channel Extrusion with Aluminum Top Trim for Square Glass | \$ 395.00 | \$790.00 |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| GCU | | | | | |
| 38 | 4 | BWAFWR2358 | 58.84"w x 18.24"h x 18.46"d, Felt Wrap Around Panels, Provides Privacy on all Sides, Fastens to the Underside of the Worksurface, Extends 1.5" Past the Back of Worksurface, FREEFIT BENCHING | \$ 653.00 | \$2,612.00 |
| | | | ... Skipped Option | | |
| | | | ~FFR FreeFit PET Felt Finishes | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 39 | 2 | CU6024 | 23"d x 59.75"w x 1.5"h, Cushion for 24"d Low Credenza's, SIDEBAR | \$ 0.00 | \$0.00 |



Global EPB531-W

| ITEM | QTY. | PRODUCT CODE | | LIST | EXTENDED |
|------|------|--------------|---|-------------|------------|
| | | | ~02 Grade 02 | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 40 | 4 | PH3T6601 | Height Adjustable Table Frame, Up/down handset with Digital Readout, Crossbars expandable to match table top widths, Not to Exceed 72"w, Height range 22.6" to 48.6", HEIGHT ADJUSTABLE WORKSURFACES, PRODUCTIVITY SOLUTIONS | \$ 1,255.00 | \$5,020.00 |
| | | | ~58 58"w Height Adjustable Base | | |
| | | | ~60 60"w Return Not Required | | |
| | | | ... Skipped Option | | |
| 41 | 4 | PHAT2358T | 23"d x 58"w x 1"h, Rectangular Top (Height Adjustable Base Sold Separate), HEIGHT ADJUSTABLE WORKSURFACES, PRODUCTIVITY SOLUTIONS | \$ 513.00 | \$2,052.00 |
| | | | ~ (STD) Thermally Fused Laminate, High Performance (1" Thick) | | |
| | | | ~PDLM Height Adjustable Laminate Top Finishes | | |
| | | | ... Skipped Option | | |
| | | | ~ Grommet Not Required - Left Position | | |
| | | | ~ Grommet Not Required - Center Position | | |
| | | | ~ Grommet Not Required - Right Position | | |
| | | | ~ Grommet Not Required - Custom Grommet Location | | |
| | | | ... Skipped Option | | |
| 42 | 2 | PN2360CO | 24"d x 60"w x 23"h, Open Credenza, Adjustable 6 Position Shelves, Use w/ Overlapping Returns and Overlapping Bridges that have a 5"h Metal Open Frame Spacer, PRINCETON | \$ 1,357.00 | \$2,714.00 |
| | | | ~ (STD) Thermally Fused Laminate, High Performance (1" Thick) | | |
| | | | ~PRNCTOP Princeton Top Finishes | | |
| | | | ... Skipped Option | | |
| | | | ~PBODY Princeton Storage Body Laminates | | |
| | | | ... Skipped Option | | |
| | | | ~ Grommet Cut-Out Not Required - Left Position | | |
| | | | ~ Grommet Cut-Out Not Required - Right Position | | |
| | | | ~ Grommet Not Required - Custom Grommet Location | | |
| | | | ... Skipped Option | | |



Global EPB531-W

| ITEM | QTY. | PRODUCT CODE | | LIST | EXTENDED |
|------|------|--------------|---|-----------|----------|
| GUS | | | | | |
| 43 | 2 | 3885 | WIND LINEAR, 16"w x 5"d x 7"h, Bolster Cushion, 1 Loose Cushion, GLOBAL SEATING USA | \$ 249.00 | \$498.00 |

~02 Grade 02
... Skipped Option

ALIAS SUBTOTAL: \$ 18,831.00



Global EPB531-W

| ITEM | QTY. | PRODUCT CODE | | LIST | EXTENDED |
|-------------------------------|------|--------------|---|-----------|----------|
| Global EPB531-W 6-Pack | | | | | |
| EPB | | | | | |
| 44 | 2 | EVE8CP17 | 17" - Flexible Mesh Jumper | \$ 126.00 | \$252.00 |
| | | | ... Skipped Option | | |
| 45 | 1 | EVE8FR3PB | 84" Long, Power Beam Basefeed Power Entry, Flexible Vinyl Conduit, Snaps to Power Distribution Housing, Includes Bracket to Attach to Vertical Cover, Must be Hardwired by a Licensed Electrician | \$ 484.00 | \$484.00 |
| | | | ... Skipped Option | | |
| 46 | 3 | EVE8PD60 | 60", Power Distribution Housing | \$ 259.00 | \$777.00 |
| | | | ... Skipped Option | | |
| 47 | 3 | EVE8RD1WHT | #1 Utility Circuit, Duplex Receptacle, White, Use an I-Connector w/ Duplex to allow for an additional Duplex in 66"w and 72"w Raceway | \$ 41.00 | \$123.00 |
| | | | ... Skipped Option | | |
| 48 | 3 | EVE8RD2WHT | #2 Utility Circuit, Duplex Receptacle, White, Use an I-Connector w/ Duplex to allow for an additional Duplex in 66"w and 72"w Raceway | \$ 41.00 | \$123.00 |
| | | | ... Skipped Option | | |
| 49 | 3 | EVE8RDAWHT | A, Dedicated Circuit, Duplex Receptacle, White, Use an I-Connector w/ Duplex to allow for an additional Duplex in 66"w and 72"w Raceway | \$ 41.00 | \$123.00 |



Global EPB531-W

| ITEM | QTY. | PRODUCT CODE | | LIST | EXTENDED |
|------|------|--------------|---|-----------|----------|
| | | | ... Skipped Option | | |
| 50 | 3 | EVE8RDBWHT | B, Dedicated Circuit, Duplex Receptacle, White, Use an I-Connector w/ Duplex to allow for an additional Duplex in 66"w and 72"w Raceway | \$ 41.00 | \$123.00 |
| | | | ... Skipped Option | | |
| 51 | 2 | EVPB60 | 6"h x 60"w, Power Beam Raceway w/o Electrical Cut Out for Basefeed, 3 Knockouts, Aluminum Top Cap, Aluminum Bottom Trim, Power Not Included | \$ 460.00 | \$920.00 |
| | | | ... Skipped Option | | |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 52 | 1 | EVPBE60 | 6"h x 60"w, Power Beam Raceway w/ Electrical Cut Out for Basefeed, 3 Knockouts, Aluminum Top Cap, Shortened Aluminum Bottom Trim for Electrical Access, Bracket to Connect Vertical Cover w/ Leg (Sold Separately), Power Not Included | \$ 460.00 | \$460.00 |
| | | | ... Skipped Option | | |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 53 | 1 | EVPBFCL24 | 24"h x 6"w x 18"d, Vertical Cover for Basefeed w/ T-Leg Connector, Connects to Power Beam Raceway w/ Electrical Cut Out, End of Run Trim Included, Power Not Included | \$ 230.00 | \$230.00 |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 54 | 2 | EVPBGICB24 | 24"h x 2"w, Post Leg Connector w/ Adjustable Glide, Use In Conjunction w/ T-Leg Connectors | \$ 73.00 | \$146.00 |



Global EPB531-W

| ITEM | QTY. | PRODUCT CODE | | LIST | EXTENDED |
|------|------|--------------|--|-----------|------------|
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 55 | 4 | EVPBIEC12 | 12"h, Power Beam Inline Extension Connector, Non-Slotted, Includes Connecting Hardware, Must Be Attached to Power Beam Connector w/ Provided Screw Before Installing Power Beam Raceway | \$ 48.00 | \$192.00 |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 56 | 1 | EVPBL24 | 24"h x 18"w, T-Leg Connector w/ Adjustable Glides, Use Throughout Power Beam Span for Stability | \$ 140.00 | \$140.00 |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 57 | 2 | EVPBLEP3663 | 36"h x 63"w, Laminate End Panel, Attaches to Power Beam Connector w/ T-Leg, Includes Bracket to Attached to T-Leg | \$ 693.00 | \$1,386.00 |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 58 | 2 | EVPBLERT36 | 33.4"h, End of Run Aluminum Trim for Connector Legs | \$ 77.00 | \$154.00 |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |



Global EPB531-W

| ITEM | QTY. | PRODUCT CODE | | LIST | EXTENDED |
|------|------|--------------|--|------------------|-------------------|
| 59 | 3 | EVPFE1260 | 12"h x 60"w, Fabric Extension Module, Top Trims are not Included with Extension Modules | \$ 321.00 | \$963.00 |
| | | | ~STD Standard Paint Options | | |
| | | | ~STD Panels w/ Matching Horizontal Reveal | | |
| | | | ... Skipped Option | | |
| | | | ~GR1 Panel Grade 1 | | |
| | | | O1 Outside Position 1 | | |
| | | | ... Skipped Option | | |
| | | | ~GR1 Grade 1 Fabrics | | |
| | | | I1 Inside Position 1 | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 60 | 3 | EVPMP60GIP | 12"h x 60"w, Panel Mount Privacy Glass, Integrated Channel Extrusion with Aluminum Top Trim for Square Glass | \$ 395.00 | \$1,185.00 |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| GCU | | | | | |
| 61 | 6 | BWAFWR2358 | 58.84"w x 18.24"h x 18.46"d, Felt Wrap Around Panels, Provides Privacy on all Sides, Fastens to the Underside of the Worksurface, Extends 1.5" Past the Back of Worksurface, FREEFIT BENCHING | \$ 653.00 | \$3,918.00 |
| | | | ... Skipped Option | | |
| | | | ~FFR FreeFit PET Felt Finishes | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 62 | 2 | CU6024 | 23"d x 59.75"w x 1.5"h, Cushion for 24"d Low Credenza's, SIDEBAR | \$ 0.00 | \$0.00 |



Global EPB531-W

| ITEM | QTY. | PRODUCT CODE | | LIST | EXTENDED |
|------|------|--------------|---|-------------|------------|
| | | | ~02 Grade 02 | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 63 | 6 | PH3T6601 | Height Adjustable Table Frame, Up/down handset with Digital Readout, Crossbars expandable to match table top widths, Not to Exceed 72"w, Height range 22.6" to 48.6", HEIGHT ADJUSTABLE WORKSURFACES, PRODUCTIVITY SOLUTIONS | \$ 1,255.00 | \$7,530.00 |
| | | | ~58 58"w Height Adjustable Base | | |
| | | | ~60 60"w Return Not Required | | |
| | | | ... Skipped Option | | |
| 64 | 6 | PHAT2358T | 23"d x 58"w x 1"h, Rectangular Top (Height Adjustable Base Sold Separate), HEIGHT ADJUSTABLE WORKSURFACES, PRODUCTIVITY SOLUTIONS | \$ 513.00 | \$3,078.00 |
| | | | ~ (STD) Thermally Fused Laminate, High Performance (1" Thick) | | |
| | | | ~PDLM Height Adjustable Laminate Top Finishes | | |
| | | | ... Skipped Option | | |
| | | | ~ Grommet Not Required - Left Position | | |
| | | | ~ Grommet Not Required - Center Position | | |
| | | | ~ Grommet Not Required - Right Position | | |
| | | | ~ Grommet Not Required - Custom Grommet Location | | |
| | | | ... Skipped Option | | |
| 65 | 2 | PN2360CO | 24"d x 60"w x 23"h, Open Credenza, Adjustable 6 Position Shelves, Use w/ Overlapping Returns and Overlapping Bridges that have a 5"h Metal Open Frame Spacer, PRINCETON | \$ 1,357.00 | \$2,714.00 |
| | | | ~ (STD) Thermally Fused Laminate, High Performance (1" Thick) | | |
| | | | ~PRNCTOP Princeton Top Finishes | | |
| | | | ... Skipped Option | | |
| | | | ~PBODY Princeton Storage Body Laminates | | |
| | | | ... Skipped Option | | |
| | | | ~ Grommet Cut-Out Not Required - Left Position | | |
| | | | ~ Grommet Cut-Out Not Required - Right Position | | |
| | | | ~ Grommet Not Required - Custom Grommet Location | | |
| | | | ... Skipped Option | | |



Global EPB531-W

| ITEM | QTY. | PRODUCT CODE | | LIST | EXTENDED |
|------|------|--------------|---|-----------|----------|
| GUS | | | | | |
| 66 | 2 | 3885 | WIND LINEAR, 16"w x 5"d x 7"h, Bolster Cushion, 1 Loose Cushion, GLOBAL SEATING USA | \$ 249.00 | \$498.00 |

~02 Grade 02
... Skipped Option

ALIAS SUBTOTAL: \$ 25,519.00



Global EPB531-W

| ITEM | QTY. | PRODUCT CODE | | LIST | EXTENDED |
|-------------------------------|------|--------------|---|-----------|------------|
| Global EPB531-W 8-Pack | | | | | |
| EPB | | | | | |
| 67 | 3 | EVE8CP17 | 17" - Flexible Mesh Jumper | \$ 126.00 | \$378.00 |
| | | | ... Skipped Option | | |
| 68 | 1 | EVE8FR3PB | 84" Long, Power Beam Basefeed Power Entry, Flexible Vinyl Conduit, Snaps to Power Distribution Housing, Includes Bracket to Attach to Vertical Cover, Must be Hardwired by a Licensed Electrician | \$ 484.00 | \$484.00 |
| | | | ... Skipped Option | | |
| 69 | 4 | EVE8PD60 | 60", Power Distribution Housing | \$ 259.00 | \$1,036.00 |
| | | | ... Skipped Option | | |
| 70 | 4 | EVE8RD1WHT | #1 Utility Circuit, Duplex Receptacle, White, Use an I-Connector w/ Duplex to allow for an additional Duplex in 66"w and 72"w Raceway | \$ 41.00 | \$164.00 |
| | | | ... Skipped Option | | |
| 71 | 4 | EVE8RD2WHT | #2 Utility Circuit, Duplex Receptacle, White, Use an I-Connector w/ Duplex to allow for an additional Duplex in 66"w and 72"w Raceway | \$ 41.00 | \$164.00 |
| | | | ... Skipped Option | | |
| 72 | 4 | EVE8DAWHT | A, Dedicated Circuit, Duplex Receptacle, White, Use an I-Connector w/ Duplex to allow for an additional Duplex in 66"w and 72"w Raceway | \$ 41.00 | \$164.00 |



Global EPB531-W

| ITEM | QTY. | PRODUCT CODE | | LIST | EXTENDED |
|------|------|--------------|---|-----------|------------|
| | | | ... Skipped Option | | |
| 73 | 4 | EVE8RDBWHT | B, Dedicated Circuit, Duplex Receptacle, White, Use an I-Connector w/ Duplex to allow for an additional Duplex in 66"w and 72"w Raceway | \$ 41.00 | \$164.00 |
| | | | ... Skipped Option | | |
| 74 | 3 | EVPB60 | 6"h x 60"w, Power Beam Raceway w/o Electrical Cut Out for Basefeed, 3 Knockouts, Aluminum Top Cap, Aluminum Bottom Trim, Power Not Included | \$ 460.00 | \$1,380.00 |
| | | | ... Skipped Option | | |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 75 | 1 | EVPBE60 | 6"h x 60"w, Power Beam Raceway w/ Electrical Cut Out for Basefeed, 3 Knockouts, Aluminum Top Cap, Shortened Aluminum Bottom Trim for Electrical Access, Bracket to Connect Vertical Cover w/ Leg (Sold Separately), Power Not Included | \$ 460.00 | \$460.00 |
| | | | ... Skipped Option | | |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 76 | 1 | EVPBFCL24 | 24"h x 6"w x 18"d, Vertical Cover for Basefeed w/ T-Leg Connector, Connects to Power Beam Raceway w/ Electrical Cut Out, End of Run Trim Included, Power Not Included | \$ 230.00 | \$230.00 |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 77 | 2 | EVPBGICB24 | 24"h x 2"w, Post Leg Connector w/ Adjustable Glide, Use In Conjunction w/ T-Leg Connectors | \$ 73.00 | \$146.00 |



Global EPB531-W

| ITEM | QTY. | PRODUCT CODE | | LIST | EXTENDED |
|------|------|--------------|--|------------------|-------------------|
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 78 | 5 | EVPBIEC12 | 12"h, Power Beam Inline Extension Connector, Non-Slotted, Includes Connecting Hardware, Must Be Attached to Power Beam Connector w/ Provided Screw Before Installing Power Beam Raceway | \$ 48.00 | \$240.00 |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 79 | 2 | EVPBL24 | 24"h x 18"w, T-Leg Connector w/ Adjustable Glides, Use Throughout Power Beam Span for Stability | \$ 140.00 | \$280.00 |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 80 | 2 | EVPBLEP3663 | 36"h x 63"w, Laminate End Panel, Attaches to Power Beam Connector w/ T-Leg, Includes Bracket to Attached to T-Leg | \$ 693.00 | \$1,386.00 |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 81 | 2 | EVPBLERT36 | 33.4"h, End of Run Aluminum Trim for Connector Legs | \$ 77.00 | \$154.00 |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |



Global EPB531-W

| ITEM | QTY. | PRODUCT CODE | | LIST | EXTENDED |
|------|------|--------------|--|------------------|-------------------|
| 82 | 4 | EVPFE1260 | 12"h x 60"w, Fabric Extension Module, Top Trims are not Included with Extension Modules | \$ 321.00 | \$1,284.00 |
| | | | ~STD Standard Paint Options | | |
| | | | ~STD Panels w/ Matching Horizontal Reveal | | |
| | | | ... Skipped Option | | |
| | | | ~GR1 Panel Grade 1 | | |
| | | | O1 Outside Position 1 | | |
| | | | ... Skipped Option | | |
| | | | ~GR1 Grade 1 Fabrics | | |
| | | | I1 Inside Position 1 | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 83 | 4 | EVPMP60GIP | 12"h x 60"w, Panel Mount Privacy Glass, Integrated Channel Extrusion with Aluminum Top Trim for Square Glass | \$ 395.00 | \$1,580.00 |
| | | | ~STD Standard Paint Colors | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| GCU | | | | | |
| 84 | 8 | BWAFWR2358 | 58.84"w x 18.24"h x 18.46"d, Felt Wrap Around Panels, Provides Privacy on all Sides, Fastens to the Underside of the Worksurface, Extends 1.5" Past the Back of Worksurface, FREEFIT BENCHING | \$ 653.00 | \$5,224.00 |
| | | | ... Skipped Option | | |
| | | | ~FFR FreeFit PET Felt Finishes | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 85 | 2 | CU6024 | 23"d x 59.75"w x 1.5"h, Cushion for 24"d Low Credenza's, SIDEBAR | \$ 0.00 | \$0.00 |



Global EPB531-W

| ITEM | QTY. | PRODUCT CODE | | LIST | EXTENDED |
|------|------|--------------|---|-------------|-------------|
| | | | ~02 Grade 02 | | |
| | | | ... Skipped Option | | |
| | | | ... Skipped Option | | |
| 86 | 8 | PH3T6601 | Height Adjustable Table Frame, Up/down handset with Digital Readout, Crossbars expandable to match table top widths, Not to Exceed 72"w, Height range 22.6" to 48.6", HEIGHT ADJUSTABLE WORKSURFACES, PRODUCTIVITY SOLUTIONS | \$ 1,255.00 | \$10,040.00 |
| | | | ~58 58"w Height Adjustable Base | | |
| | | | ~60 60"w Return Not Required | | |
| | | | ... Skipped Option | | |
| 87 | 8 | PHAT2358T | 23"d x 58"w x 1"h, Rectangular Top (Height Adjustable Base Sold Separate), HEIGHT ADJUSTABLE WORKSURFACES, PRODUCTIVITY SOLUTIONS | \$ 513.00 | \$4,104.00 |
| | | | ~ (STD) Thermally Fused Laminate, High Performance (1" Thick) | | |
| | | | ~PDLM Height Adjustable Laminate Top Finishes | | |
| | | | ... Skipped Option | | |
| | | | ~ Grommet Not Required - Left Position | | |
| | | | ~ Grommet Not Required - Center Position | | |
| | | | ~ Grommet Not Required - Right Position | | |
| | | | ~ Grommet Not Required - Custom Grommet Location | | |
| | | | ... Skipped Option | | |
| 88 | 2 | PN2360CO | 24"d x 60"w x 23"h, Open Credenza, Adjustable 6 Position Shelves, Use w/ Overlapping Returns and Overlapping Bridges that have a 5"h Metal Open Frame Spacer, PRINCETON | \$ 1,357.00 | \$2,714.00 |
| | | | ~ (STD) Thermally Fused Laminate, High Performance (1" Thick) | | |
| | | | ~PRNCTOP Princeton Top Finishes | | |
| | | | ... Skipped Option | | |
| | | | ~PBODY Princeton Storage Body Laminates | | |
| | | | ... Skipped Option | | |
| | | | ~ Grommet Cut-Out Not Required - Left Position | | |
| | | | ~ Grommet Cut-Out Not Required - Right Position | | |
| | | | ~ Grommet Not Required - Custom Grommet Location | | |
| | | | ... Skipped Option | | |



Global EPB531-W

| ITEM | QTY. | PRODUCT CODE | | LIST | EXTENDED |
|-------------------------------------|------|--------------|---|-----------------------------|--------------------|
| <hr/> | | | | | |
| GUS | | | | | |
| 89 | 2 | 3885 | WIND LINEAR, 16"w x 5"d x 7"h, Bolster Cushion, 1 Loose Cushion, GLOBAL SEATING USA | \$ 249.00 | \$498.00 |
| | | | ~02 Grade 02 | | |
| | | | ... Skipped Option | | |
| <hr/> | | | | | |
| ALIAS SUBTOTAL: \$ 32,274.00 | | | | | |
| <hr/> | | | | | |
| | | | | TOTAL EXTENDED LIST: | \$88,767.00 |